



# ULTRA SEAL®

## FOAM DOCK SEAL WITH HEAD PAD

### DOCK SEAL SPECIFICATIONS

MODEL S 1000

The Serco Ultra Seal® Model S-1000 provides the insulating benefits of a foam dock seal with improved trailer access for standard size loading dock doors. Serco's patented design features one-piece diagonal cut foam construction and an internal retention strap system, which secures fabric to the inside of the Ultra Seal side pad profile. The Serco Ultra Seal® design also reduces pressure transmitted through the dock seal minimizing the possibility of building wall damage and extending the service life of the seal.

### Design Highlights

- Unique Ultra Seal® Side Pad Design Provides Improved Trailer access and Minimizes Building Wall Pressure
- Internal Retention Strap System Secures Fabric to the Inside of the Side Pad Profile Minimizing the Possibility of Pad Damage
- Seals the Hinge air Gap on Trailers With Swing Out Doors
- Dual Guide Stripes For 96" and 102" Wide Trailers
- Bottom of Side Pad Is Reinforced to Extend Seal Life
- Can Be Mounted on Doors Up to 10' Wide and 9' High
- Includes Roll Formed Galvanized Steel Side and Head Pad Backing
- Optional Wear Pleats are available to Extend the Service Life of the Dock Seal
- Available In a Wide Variety of Fabrics and Colors



### Project Information

Job Name \_\_\_\_\_  
Address \_\_\_\_\_  
General Contractor \_\_\_\_\_  
Distributor \_\_\_\_\_  
Model \_\_\_\_\_ Quantity \_\_\_\_\_

### Certified For Construction

By \_\_\_\_\_  
Company \_\_\_\_\_  
Address \_\_\_\_\_  
Date \_\_\_\_\_



# ULTRA SEAL<sup>®</sup>

## FOAM DOCK SEAL WITH HEAD PAD

### DOCK SEAL SPECIFICATIONS

MODEL S 1000

#### APPLICATION DATA

Door Width: \_\_\_\_\_ ft. \_\_\_\_\_ in.

Door Height: \_\_\_\_\_ ft. \_\_\_\_\_ in.

Dock Height: \_\_\_\_\_ ft. \_\_\_\_\_ in.

Bumper Protection\*: \_\_\_\_\_ in.

(\*Includes bumper projection and any building wall/foundation offset or cantilever)

#### TRUCKS AND TRAILERS SERVICED

Width: \_\_\_\_\_ Max. \_\_\_\_\_ Min.

Height: \_\_\_\_\_ Max. \_\_\_\_\_ Min.

Length: \_\_\_\_\_ Max. \_\_\_\_\_ Min.

Hydraulic Tailgate:  Yes  No

Rear Step Section:  Yes  No

Tailgate/Step Section Size: \_\_\_\_\_ In.

Yard Jockeys:  Yes  No

#### QUANTITY \_\_\_\_\_

**Head Pad Width** \_\_\_\_\_"  Guardian™ Head Pad

**Head Pad Back/Face**  12/12  18/18  24/24  12/15  12/18

**Drop Curtain**  None  12"  18"  24"  With Hook-Loop  No Hook-Loop  Full Width

**Side Pad Height** \_\_\_\_\_"

**Side Pad Back/Face**  6/14  8/15  10/18  8/21

**Base Material**  22oz Vinyl  40 oz. Vinyl  40 oz. CSM  XL-100™

**Color**  Black  Tan  Brown  Blue  Green

**Taper**  Yes  No

**Top Projection**  10"  12"  14"  16"  18"  20"  \_\_\_\_\_"

**Bottom Projection**  10"  12"  14"  16"  18"  20"  \_\_\_\_\_"

**Block Out**  None

**Block Out Projection**  2"  4"  6"  8"  10"  12"  \_\_\_\_\_"

**Wear Pleats**  None  4"  8"  16"  Head & Side Pads  Head Pad Corners Only

22 oz. Vinyl  40 oz. Vinyl  40 oz. CSM  XL-100™

Black  Tan  Brown  Blue  Green

**Wear Face**  None  Head Pad  Side Pad

22 oz. Vinyl  40 oz. Vinyl  40 oz. CSM  XL-100™

Black  Tan  Brown  Blue  Green

**Reinforced Inside Face**  Standard  Side Pad Full Height

22 oz. Vinyl  40 oz. Vinyl  40 oz. CSM  XL-100™  Black  Tan  Brown  Blue  Green

**Options** Bottom Flap Size:  3"  6"  \_\_\_\_\_" Bottom Flap Location:  Inside  Inside Front  All Sides

Door Numbers  24" Guide Stripes  Flame Retardant Fabric  Flame Retardant Foam

**Mounting Brackets**  Flats & Angles  Angles

1 1/2" Offsets & Angles

\*Conversions: To convert measurements to metric, see formulas below:

Inches x 25.4 = millimeters (Example: 4" x 25.4 = 101.6 mm)


Feet x .3048 = meters (Example: 12' x .3048 = 3.66 m)

\*Note: Consult factory for blackout application assistance.

1612 Hutton Drive, Suite 140 • Carrollton, TX 75006, USA • Tel: 800-933-4834 • Fax: 972-389-4769 • Email: sales@sercocompany.com • www.sercocompany.com

A continuing research program is in effect at Serco. We reserve the right to incorporate product improvement at any time without prior notice.

© 2011 4Front Engineered Solutions, Inc.



Form#: SPS-SES1-0711